

# Index

- abandon ship situations, 146
- ABYC (American Boat and Yacht Council), 148
- accommodations. See also interior
  - cushions, 32,35
  - fabrics bonded to the hull, 37
  - in small, trailerable sailboats, 3
- acetone, 171
- Act to Prevent Pollution from Ships (MARPOL ANNEX V), 68-69
- Advanced First Aid Afloat (Eastman), 77
- affordability See costs and affordability
- aids to navigation
  - buoys, 154,156
  - lights, 158-60, 159
  - strobe lights and, 66
- Air Head composting toilet, 206--7
- AIS (Automatic Identification System), 82
- Alberg, Carl, 215, 232, 240
- alcohol stoves, 202-3
- alternator field disconnect, 39
- aluminum
  - anodizing, 181-82
  - corrosion of, 43, 181-82
  - galvanic series of metals, 178-79
  - painting, 43, 181, 182
  - repairing, 182
- aluminum fittings, 43
- American Boat and Yacht Council (ABYC), 148
- American's Boating Course (U.S. Power Squadron), 140
- amp, 184
- amp-hour, 183
- anchor
  - connectors between anchor and rode, 73
  - recommendations, 71-72
  - safety issues, 5, 69-70
  - size of, 72
  - snubbing, 137
  - storm conditions, recommendations for, 72
  - types of, 70-72
  - weight of, 72
- anchor buoy, 136
- anchoring
  - best practices, 139
  - dragging, checking for, 136, 137
  - rafting up, 137, 138
  - selecting where to anchor, 135-W
  - snubbing an anchor, 137
  - storm conditions and, 137
  - techniques for, 13547
  - windlass for, 62, 73
- anchor light, 67
- anchor rode
  - chain, 62, 73
  - connectors between anchor and rode, 73
  - marking lengths of, 73
  - material for, 72-73
  - recommendations, 71-72
  - scope, 136
  - snubbing 137
  - storm conditions, recommendations for, 72
- anchor sentinel (kelllet), 136, 137
- anchor shackles, 73
- Annapolis Book of Seamanship (Rousmaniere), 149
- anodes, 179, 180
- anodized aluminum, 181-82
- antennas, 82
  - Anti-Bond 2015, 174-76
  - Antrim 25, 227
- atmospheric corrosion, 178
- Automatic Identification System (AIS), 82 axle, 58
- backpacking stoves, 203
  - backstay, 27, 90-91, 95, 133, 134
- Bahamian moor, 136
- Balboa 20, 230-31
- Balboa 26, 231
- ballast, 7, 19-20, 21, 24-26, 42, 44, 133
- ball-lock quick-release pins, 93
- ball valves, 39, 40

Barber, Manning, 132  
 Barber, Merrit, 132  
 barber hauler, 28  
 Barber Hauler, 132  
 barnacles, 187  
 Basic Boating Safety course (BoatSafe.com), 140  
 battery  
     buying, 184  
     charging, 183, 184-86  
     connections to, 183  
     maintenance of, 184  
     reliance on, 157  
     types of, 183-84  
     weight of, 52-53  
 battery chargers, 185-86  
 battery switch, 38-39  
 beam, 19-20  
 beam reach, 125, 126, 129  
 Bearing Buddy, 58  
 bearing caps, 58  
 bearings, 151, 154, 156-57  
 bearings, wheel, 58,87,88  
 bedding compound, 170,174-75,198  
 bellrope, 28  
 Beneteau First 235, 231-32  
 best practices, 138-39  
 bilge, 35-36, 147  
 bilge blowers, 66,83  
 bilge pumps, 76-77,166  
 Bingham, Fred, 194  
 binoculars, 153  
 bleach-based cleaners, 170  
 blisters, 42, 187  
 blocks, 43, 188  
 Bluewater Books and Charts, 151-52  
 boarding ladders, 165  
 boat construction, 36  
 boating accidents and deaths, 122  
 Boat Joinery and Cabinetmaking Simplified (Bingham), 194  
 boat plans, 248  
 boatpox,42  
 boat registration, 15-16  
 BoatSafe.com boating classes, 140  
 boat shows, 29  
 BoatU.S. (Boat Owners Association of the U.S.)  
     boating accidents and deaths, 122  
     DSC radios, 81  
     "Help Stop the Drops" program, 68  
     insurance, 16  
     Seaworthy, 5, 122  
     towing insurance, 167  
 Bolduc, Dave, 245  
 Bolduc, Mindy, 245  
 boltrope, 28,97,125  
 Bomar hatches, 84  
 book value, 12-13, 34, 208  
 boom  
     attaching to mast, 96  
     bending on sails, 96-97  
     jibing, 115, 126, 127, 130, 149-49  
     mast-raising systems, 99-102, 100, 101  
     surveying 43  
 boom brake, 126  
 boom-end sheeting 96, 97  
 boomkins, 18  
 boom vang, 28, 126, 133  
 bottom paint, 186-87  
 bow eye safety cable, 55, 56  
 bowsprits, 18  
 brakes  
     on tow vehicle, 89, 99  
     on trailers, 54, 58-59  
 Breeze Booster, 84  
 British Seagull outboards, 49  
 broaching, 148-49  
 broad reach, 125, 126  
 broker boat sales, 29-M  
 bronze fittings and valves, 37, 39, 43  
 Brown, Larry, 228,243  
 Bruce anchors, 70, 71  
 brushes, varnish, 177  
 Buccaneer 25, 31  
 BUC International, 12,33,208  
 buffer, power, 173  
 bungee cords, 113  
 buoys, 154,156  
 buying a boat  
     book value, 12-13, 33  
     deal killers, 32  
     financing a boat, 13-15, 30  
     fixer-uppers, 4,31  
     new boats, 29-30  
     options for, 29  
     by the pound, 24  
     used boats, 4, 29-31  
     where to look 29-V  
 cable ties, 73  
 Cal 20, 21, 100, 101, 133, 232  
 calcium chloride, 172  
 canvas and sailmaking resources, 247, 249  
 Cape Dory 22, 232  
 Cape Dory Typhoon, 35, 232  
 capsized boats, 20, 149  
 Captiva Yachts, 230  
 carbon monoxide detector, 77-78  
 carbon monoxide poisoning, 162  
 cast-iron ballast, 25, 42, 44  
 Catalina Yachts, 208  
     Catalina 18,208

Catalina 20, 100, 101  
 Catalina 22, 31, 100, 208-10, 209, 233  
 Catalina 250, 26, 210  
 Catalina 27, 1, 2, 10, 37, 39, 72, 76, 79, 116  
 catamarans, 19,133  
 cathodes, 173  
 CDI Flexible Furler, 116-17  
 celestial navigation, 154  
 cell phones, 82, 167  
 centerboards. See keels and centerboards  
 Cetol, 176  
 chainplate, 44, 91  
 Champion Trailer Supply, 193  
 chandleries, 247  
 Channel 16,81  
 Chapman's Piloting, Seamanship, and Small-Boat Handling, 121, 140  
 charcoal, 78  
 chartplotting tools, 153-54  
 charts. See nautical charts  
 children, 147  
 chlorine and bleach-based cleaners, 170  
 choosing a boat
 

- cost considerations, 12-16
- displacement and, 9
- sailing relationships and, 9, 10-11
- sailing territory and, 5, 9
- size of trailerable boats, 7-8
- time for sailing, 16-17
- tow vehicle considerations, 9-10
- types of sailing and, 8-9

 chronographs, 154  
 chronometer, 150  
 clamshell vents, 83  
 classes, boating safety, 140  
 claw anchors, 70, 71, 72  
 cleats, 74, 196-98  
 clevis pin, 91, 92-93  
 close hauled, 125, 127-29, 128  
 close reach, 125-26  
 clothing, 204-6  
 clove hitch, 111, 112  
 coal-tar epoxy paint, 187  
 Coastal Navigation course (BoatSafe.com), 140  
 coastal sailing, 5  
 Coast Catamaran, 244  
 Coast Pilots, 150, 151-52, 156  
 Code of Federal Regulations, 121
 

- code zero, 115

 Collinite wax, 173  
 collision course, 143  
 collision emergencies, 166  
 COLREGS (International Regulations for Avoiding Collisions at Sea), 66, 141  
 commercial vessels, 141, 144  
 Commodore Yacht Corp., Commodore 17,230
 

- communication equipment, 80-83, 167
- communication with crew, 130, 138

 Com-Pac Yachts, 210-11
 

- Com-Pac 16, 210-I 1, 212, 234
- Com-Pac 19, 211, 234
- Com-Pac 23, 211
- Com-Pac 23/3, 213
- Eclipse, 213
- Horizon Cat, 212
- Legacy, 212-13
- Picnic Cat, 211
- Sun Cat, 211-12

 compass, draftsman's, 154  
 compasses, 75-76, 150, 151  
 compass rose, 151, 152  
 composting toilets, 206-7  
 concrete ballast, 25, 42  
 cooking aboard, 202-3, 249  
 coolers, 202  
 Cornell, Jimmy, 157  
 corrosion. See also specific types
 

- prevention strategy, 177, 178
- resources,252
- types of, 43-44, 177-82

 Corsair Marine, 214
 

- Corsair 24, 214
- Corsair 28, 215
- Corsair Sprint 750, 214

 Cost Conscious Cruiser, The (Pardey and Pardey), 110  
 costs and affordability
 

- advantages of trailer sailers, 3-4
- book value, 12-13, 34
- choosing a boat, 12-16
- deal killers, 32
- discounts, items that rate, 32, 35
- financing a boat, 13-15, 30, 31, 32, 34
- GPS units, 158
- nautical charts, 150
- outboard, 45
- professional surveys, 32
- registration, boat, 15-16
- sails, 190
- structural strength of boat and, 24
- trailers, 45
- used boats, 4, 12

 cotter pins, 93  
 couples (partners) sailing, 9, 11  
 coupling extension, 59  
 covers, boat, 6, 12, 173  
 CQR anchors, 70  
 crevice corrosion, 43, 180-81  
 crew, communication with, 130, 138  
 crew overboard
 

- distress signals, 66

- drills, practicing, 162
- instances of, 66-67, 74
- night sailing and, 160
- preparations for, 146, 161
- recovery procedures, 162-65
- risk of, 122, 126
- safety equipment, 63-64, 73-74, 122, 146, 160, 162
- Crew Overboard Rescue Symposium Final Report, 2005 (Rousmaniere), 162, 163
- cringles, 147
- cruiser-racer sailboats, 9
- cruising guides, 136, 247
- Coast Pilots, 150, 151-52, 156
- cruising sailboats, 8-9, 24
- cunningham, 133
- current, 148, 154, 156
- cushions, 32, 35
  
- daggerboard, 21, 22, 23
- Danforth anchors, 70, 71-72
- danger bearings, 156-57
- danger zone principle, 144
- Davis compasses, 75-76
- daytime signals, 65
- deadlights and ports, 84-85
- dead reckoning (DR), 156
- dealers, boat, 29
- deal killers, 32
- deck
  - construction of, 36
  - rot, repairing, 40, 170, 171, 175
  - spongy, 32, 40
  - standing water, 40
  - surveying, 40, 41
- deck hardware
  - backing plates for, 197
  - bedding compound, 170, 173, 174-75, 198
  - installing, 196-98
  - leaks from, 36-37, 170
  - maintenance of, 188
  - relocating, 201
  - surveying, 40, 44
- Dehler Sailboats, 216
- dehumidifier, 172, 247
- dehydration, 162
- Delta anchors, 70, 71
- Deltran, 184-85
- Demarcation Line, 141
- depreciation, 13
- depth sounder, 79, 160
- Devlin Mud Peep, 23
- dielectric grease, 57
- Differential Global Positioning System (DGPS), 158
- Digital Selective Calling (DSC), 81
- dinghies, 49, 251
  
- Discharge of Garbage Prohibited placard, 68
- Discharge of Oil Prohibited placard, 68
- discounts, items that rate, 32, 35
- displacement
  - choosing a boat and, 9, 24
  - defined, 23-24
  - D/L (displacement to length ratio), 24
- displacement hulls, 19
- distance
  - logarithmic scale for speed/distance/time, 155
  - visibility of lights, 158-59
- distress signals and calls
  - Channel 16, 81
  - radio communications, 166, 167
  - SOS, 65
  - visual, 64-66
- dividers, 153-54
- dock
  - backing out of, 123-24
  - casting off from, 118-22
  - leaving or returning in windy conditions, 122, 123, 146
  - leaving under sail, 121-22
  - returning to, 134-35
  - stem swing when leaving, 122-23
  - stopping a boat, 135, 198
  - using outboard motor to leave, 123, 124
- docklines, 74-75, 98
- documentation, federal, 15-16
- double sheet bend, 111
- downhaul, 125
- downwind sailing, 125, 126, 129-30, 132, 148-49
- draft, 20, 21-23
- draftsman's compass, 154
- Dragonfly 800, 225
- drifter (reacher), 114, 115
- DSC (Digital Selective Calling), 81
- Dunn, Bill, 228
  
- Eclipse, 213
- Eichenlaub, Carl, 132
- Electra Day Sailer, 215
- electrical systems
  - definitions of electrical terms, 184
  - electronic equipment choices, 62
  - maintenance of, 182-86
  - optional inclusion of, 38, 53
  - spare parts kit, 78
  - stray current, 180
  - surveying, 37-39, 38
- electric extension cord, 186
- electric fence wire, 73
- electric outboard motors, 192
- electric winches, 56
- electrolysis, 178, 180
- electronic equipment

- communication equipment, 80-93
  - depth so-der, 79
  - personal decisions about, 62, 79
  - reliance on, 157
- Elliot Cut, 118
- emergency position-indicating radio beacon (EPIRB), 64,65
- emergency situations. See also crew overboard
  - composure and attitude during, 161
  - distress signals, 64-66, 81
  - medical emergencies, 161-62
  - preparations for, 161
  - risks to boat, 165-66
- Ensenada 20, 230
- ensigns, 139
- Ensign Spars, 215, 240
  - Ensign Classic, 215-16
- Epifanes varnish, 177
- EPIRB (emergency position-indicating radio beacon), 64,65
- epoxy
  - additives for, 200
  - aluminum repairs, 182
  - availability of, 199
  - benefits of, 199
  - blush, 199-200
  - coal-tar epoxy paint, 187
  - cost of, 199
  - limitations of, 199
  - mixing, 200
  - resources, 248
  - sunlight and, 41, 177
  - teak and, 194
- equipment and gear. See also electronic equipment; safety equipment
  - Coast Guard-required equipment, 62-69, 63, 64, 83
  - foul-weather gear, 85
  - new boats, 30
  - personal decisions about, 62
  - personal gear, 204-5
  - used boats, 30-31
  - weight of, 52
- Etap Marine, 216
- ethanol-blend (E10) fuel, 191
- Eva-Dry EDV300,172
- extension cord, 186
- exterior, surveying, 40-45
  
- fabrics bonded to the hull, 37
- Family Radio Service (FRS), 82-83
- family sailing, 9, 11
- fans, 83
- Farrier, Ian, 214
- fastpins, 92-93
  - fast return recovery maneuver, 163, 164
- faucet and valve grease, 57
- FCC license, 81
  
- federal documentation, 15-16
- "Federal Requirements and Safety tips for Recreational Boaters" (U.S. Coast Guard), 63
- Federal Water Pollution Control Act, 69
- fenders, 49, 98, 121, 134, 135
- fiberglass
  - blisters, 42, 187
  - maintenance of, 6
  - resources,248
  - weight of, 24
- figure-eight knot, 110-11
- financing a boat, 13-15, 30, 31, 32, 34
- fire emergencies, 166
- fire extinguishers, 66, 121, 166
- first-aid kit, 77
- first-aid manual, 161, 162
- Fisher, Greg, 95
- fishhooks, 42, 43
- fittings
  - aluminum, 43
  - bronze,37,39,43
  - rusty, 37, 43
  - stainless steel, 37, 43, 179
  - surveying, 40, 43-44
  - Zamak, 43
- fixer-uppers, 4, 31, 247-48
- Fix it and Sail (Gilbert), 2, 9, 31, 32, 178
- flags, 65, 139
- flares, 65
- float-on trailers, 50
- Florence, Ronald, 28
- Florida Bay Boat Company Peep Hen 14, 234, 238
- flotation, 5
- forced-air ventilation, 66, 83
- Forespar hatches, 84
- forestay (headstay), 27, 98
  - ball-lock quick-release pins, 93
  - mast-raising systems, 102-3
  - rigging before launch, 90-91, 94
  - rig tension, 95, 133
  - roller-furling headsails, 115-17
  - stemhead fittings, 40, 93
- foul-weather gear, 85
- four-stroke outboards, 45-46, 47
- FRS (Family Radio Service), 82-83
- fuel
  - additives for, 191-92
  - ethanol-blend (E10) fuel, 191
  - fueling and fuel-handling procedures, 121
  - fuel tanks E10 fuel and, 191
  - safety procedures, 121
  - ventilation, 66, 83, 121
  
- galley fires, 166
- galley guides, 249

galley stoves, 202-3  
galvanic corrosion, 178-79  
galvanic series of metals, 178, 179  
garbage, 68-69  
Garmin eTrex GPS unit, 157, 158  
gasoline, 121, 166. See also fuel  
gate valves, 39, 40  
gear. See equipment and gear  
gelcoat  
    maintenance of, 172-73  
    mildew on, 170  
    repairing, 41  
    stain removal, 169-70  
    sun damage to, 170, 172  
    surveying, 41  
    washdowns, 169-70  
    waxing, 172, 173  
gender-neutral sailing, 138  
General Boats Rhodes 22, 226  
General Mobile Radio Service (GMRS), 82-83  
generators, 139  
genoas, 114  
GFI (ground fault interrupt)-protected extension cord,  
    186  
gimbale. stoves, 203  
gin pole, 99-102, 100, 101  
Git Rot, 171, 175, 198  
Gloucester 16, 237  
glue, 194  
GMRS (General Mobile Radio Service), 82-83  
gollywobbler, 115  
gooseneck fitting, 96, 125  
GPS (Global Positioning System), 150, 157-58, 160  
    DGPS (Differential GPS), 158  
    GPS plotter, 153-54  
    GPS units, 157, 158  
grabrails, 74  
granny knots, 112  
Groover Tamer, 207  
ground fault interrupt (GFI)-protected extension cord, 186  
grounding, 21, 23, 79  
ground wire, 57  
group sailing, 9, 11  
gudgeons, 96  
Guppy 13, 236  
Hake Yachts  
    Seaward 22, 227  
    Seaward 23, 227, 241  
    Seaward 25, 227, 241  
    Seaward 26, 227  
    Seaward Fox, 227, 241  
    Slipper 17, 242  
Halman 20, 35, 238  
halyard leash, 110, 111  
halyards  
    best practices, 139  
    cockpit-led, 198-99  
    coiling and securing, 109-10, 111  
    rigging your boat, 27-28, 90-91,  
        97-98  
    tensioning, 125, 130, 139  
hand bearing compasses, 75-76, 154  
harnesses, safety, 74, 146-47, 160, 162  
Harrison, John, 150  
hatches, 36, , 83- 84, 147  
hats, 204  
head, 69, 205-7, 247  
head injuries, 126, 161, 162  
headsails  
    bending on, 98, 113  
    flattening, 132-33  
    hoisting, 125  
    jib downhaul, 117  
    leech line, 134  
    parts of, 113  
    reefing (shortening), 147  
    roller furling for, 28, 113, 115-17  
    sizes and applications, 114-15, 147  
    telltails, 130, 131-32  
    trimming, 129-30, 131-33  
    wrinkles in, 130  
headsail sheets (jibsheets), 28, 118, 119-20, 126, 132  
headstay. See forestay (headstay)  
heaters, 77-78, 83, 162  
heat exhaustion, 162  
heaving to, 129  
Hebel, Glenn, 162  
heeling  
    ballast and, 19-20, 24-25, 133  
    defined, 19, 133  
    hull design and, 19-20, 133  
"Help Stop the Drops" program (BoatU.S.), 68  
Hens and Chickens light tower, 159  
Herreshoff anchors, 71  
Hess, Lyle, 221, 230-31  
hitch extension, 59  
hitch systems, 52-54, 53, 60  
Hobie Holder 17, 242  
holes in hull, 32, 37  
home storage, 10, 11-12, 23  
hookers, 71  
Horizon Cat, 212  
horns, 66-67  
hoses and hose clamps, 39-40, 165-66  
hot water, 204  
hull  
    barnacles on, 187  
    blisters, 42, 187  
    bottom paint, 186-87

- construction of, 36
  - design and shape, 19-20, 24, 133
  - point loading on hull, 24
  - surveying, 41
    - hull speed, 19
  - Humanure Handbook, The (Jenkins), 207
  - human waste, 69, 205-7
  - humidity, 172
- Hunter Sailboats, 217
  - Hunter 18.5, 235
  - Hunter 19, 235
  - Hunter 20, 235
  - Hunter 212, 235
  - Hunter 216, 217
  - Hunter 22, 236
  - Hunter 23, 23, 236
  - Hunter 240, 25
  - Hunter 25, 217
- Hutchins Company, 210
- inboard engines, 66, 124
- Inland Rules, 65, 66, 141
- insurance, 16, 251
- interior. See also accommodations
  - boat construction methods and, 36
  - liner, 32, 36
  - surveying, 34-40, 35, 38, 39
- International Marine. See West Wight Potter/International Marine
- International Maritime Organization, 82
- International Regulations for Avoiding Collisions at Sea (COLREGS), 66, 141
- Internet resources, 5, 29, 88, 25 51-53
- irons, locked in, 127
- jacklines, 74, 146-47
- J-Boats, 217
  - J/22, 21, 218
  - J/24, 218-19
  - J/80, 219
- J-B Weld epoxy, 182
- JC9 sailing dinghy, 228
- jellyfish stings, 162
- Jenkins, Joseph, 207
- Jenneau Tonic 23, 236
- jib, 114. See also headsails
- jib downhaul, 117
- jibbing, 115, 126, 127, 130, 148-49
- jibsheets. See headsail sheets (jibsheets)
- Kasten, Michael, 181
  - keel bolts, 42, 165
  - keel guide, 59
  - keels and centerboards
    - ballast, 21, 24-26, 44
    - bilge spaces and, 35-36
    - cable, keel, 113
    - design and pointing ability of boat, 128
    - design and ramp launching, 21, 22-23
    - design and standing headroom, 7-8 draft, 21-23
    - low-aspect compared to high-aspect, 128
    - lowering centerboard, 113
    - mast height and, 26
    - pivot bolt, 21, 37
    - stability and, 7, 19-20, 25, 133
    - surveying, 42
    - types of, 19, 21-23
- kellet, 136, 137
- Kennedy, Mark, 89
- kerosene lights, 37
- Klein, Bill, 17
- knockdown, 149
- knots, 104
  - bowline, 104-5
  - clove hitch, 111, 112
  - figure-eight, 110-11
  - granny knots, 112
  - sheet bend, 111
  - square knot (reef knot), 111-12
  - stopper knot, 110-11
- ladders, boarding, 165
- lamp cord, 38
- Lancer 28, 7, 8
- Landfall Navigation, 152
- lapper, 114
- large boats
  - advantages of trailer sailers over, 3, 4
  - compromises of, 7-8
  - restoring, 31
  - safety issues, 5
  - windlass, electric, 62
- large ships, 144
- launching and retrieving
  - checklist, 87-88
  - coupling extension, 59
  - drop-off at end of ramp, 99
  - hitch extension, 59
  - keel design and ramp launching, 21, 22-23
  - process for launching, 98-99
  - rigging before, 27, 87-98
  - shallow ramps, 99
  - tow vehicle and, 9-10, 52
  - wheel chocks, 89, 99
- Layden, Matt, 245
- lead ballast, 25, 42, 44
- lead line, 79-80
- leaks
  - emergency situations, 165-66
  - locating, 170-71

- prevention strategy, 197-98
- signs of, 32, 35, 36
- standing water, 32, 35-37
- Lee, Larry, 69
- leeboards, 22, 23
- leech line, 134
- leeway, 8, 154
- Legacy, 212
- lemon juice, 170
- length
  - D/L (displacement to length ratio), 24
  - hull speed and, 19
  - LOA (length overall), 18
  - LOD (length on deck), 18
  - LWL (length at waterline), 18-19
  - specifications, 18-19
- LifeCalk, 174
- life jackets, 63-64, 146, 160
- lifelines and stanchions, 73-74, 162, 181
  - Lifesling, 163, 164
- Light List, 151-52
- lightning and lightning protection, 148, 157
- lights
  - anchor, 67
  - ground wire, 57
  - navigation (aids to navigation), 158-60, 159
  - navigation (on boats), 37, 67, 158
  - strobe, 65-66, 160
  - trailer, 56-57
  - visibility of, 158-59
- line. See also knots cleating, 104, 105-6
  - coiling and securing, 104, 106-10, 111
  - maintenance of, 188-89
  - replacing, 43
  - rope compared to, 28, 97
  - whipping, 138, 189-90
- liner, interior fiberglass, 32, 36
- Little Cruiser, 243
  - Lloyd's Open Form Salvage contract, 167
- load-equalizer hitches, 54, 60
- Local Notice to Mariners, 79, 151-52, 156
- locked in irons, 127
- lockers, 36
- Lockley Newport 16,237
- logarithmic scale for speed/distance/time, 155
- logbook,150
- long-shaft outboards, 49
- lookouts, 143
- Loos gauge, 95
- lubricants, dry, 188
- Ludwig, Charles, 230
- luffing, 127
- Luger sailboats, 31
- lunch hooks, 72, 137
- MacGregor sailboats, 220
  - MacGregor 26, 23, 252 220
  - Venture 23, 18
- MacGregor Venture 222, 2
  - buying and fixing up, 4, 12, 31
  - centerboard pivot bolt, 37
  - centerboard trunk, 36
  - costs and affordability, 4, 12
  - electrical system, 38, 185-86
  - heaving to, 129
  - hull speed calculation, 19
  - launching and retrieving, 21
  - mast, fixing holes in, 182
  - porta-potty, 206
  - selling, 4, 12
- solo sailing, 10
- tongue weight, 59-60
- towing and tow vehicle, 9
- vernier adjusters, 91
- weight of, 38
- magnetic variation, 151 mainsails bending on, 96-97 flattening, 132-33 hoisting, 125 leech line, 134 low-aspect compared to high-aspect, 26 old, 129 parts of, 98
- mainsails (Cont.):
  - reefing (shortening), 28, 147
  - telltails, 130-31, 132
  - trimming, 129-31,132-34
  - wrinkles in, 125, 130
- mainsheets, 2 8, 96, 97, 126
- maintenance
  - importance of, 169
  - new boats and, 4, 169
  - outboards,45,190-92
  - requirements for, 169
  - resources,249
  - safety issues and, 6
  - small, trailerable boats and, 6
  - time requirements, 16
  - trailer, 56, 178, 192-93
  - used boats and, 4, 6, 30-31
- manual, owner's, 90
- marina storage, 10-11
- Maxine Concepts, 237
  - Sea Pearl 21, 227, 237
- Marine Mobile Service Number (MMSI), 81
- marine sanitation devices (MSDs), 69, 205, 247
- Marine Tex, 201
- market price of boats, 12-13, 34, 208
- MARPOLANNEX V (Act to Prevent Pollution from Ships), 68-69
- Marshall Marine Sanderling, 220
- mast
  - anodized, 181, 182
  - bending, 43, 95

- corrosion of, 182
- fittings on, 179
- fixing holes in, 182
- height of, 26
- keels to balance, 26
- mast step, 89-90
- material for, 43
- painting, 181, 182
- raising, 89-91, 93-94
- raising, checklist for, 87--88
- raising, solo sailing and, 10, 27
- raising, systems for, 91, 99-103
- surveying, 43
- tall, limitations of, 26
- Mayday procedures, 166, 167
- meal planning, 202, 247
- meathooks, 42, 43
- medical emergencies, 161-62
- Meguiar's wax, 173
- Melen Marine Sparrow 12/Guppy 13, 236
- midships cleats, 196-98
- mildew
  - cleaning, 37, 170, 172
  - on gelcoat, 170
  - prevention strategy, 170-72
  - reduction in value because of, 35
  - surveying, 37
- Mills, Clark, 210, 211
- mind-set for sailing, 16-17
- MMSI (Marine Mobile Service Number), 81
- Montgomery, Jerry, 117, 221
- Montgomery Boats, 133, 221
  - Montgomery 15, 5, 221
  - Montgomery 17, 117, 133, 221, 228
  - Montgomery 23, 18, 221-22
  - quality of, 12
- Montgomery 17 (Tiny Dancer), 3, 17, 229
  - anchors and rode, 71-72
  - backing up, 124
  - buying, 4
  - cost of, 12, 31
  - depth sounder, 79
  - displacement of, 9
  - D/L, 24
  - hull speed calculation, 19
  - keel design, 21
  - maintenance work on, 12
  - solo sailing and, 10
  - suitability of, 6
  - tow vehicle for, 9-10
  - turnbuckles, 44
  - weight of, 38
- mooring, picking up and dropping, 134, 135
- motor mounts, 47-49, 48
- Motor Scrubber, 173
- Moxie, 228
- MSDs (marine sanitation devices), 69, 205, 247
- mudlines, 36
- Mud Peep, 23
- muffin fans, 83
- multihull boats, 19, 133, 242
- mushroom anchors, 71
- mushroom vents, 83
- NADA (National Automobile Dealers Association), 12, 208
- Nathanson, Andrew, 161-62
- National Automobile Dealers Association (NADA), 12, 208
- National Oceanic and Atmospheric Administration (NOAA)
  - Chart No. 1, 150, 160
  - charts from, 79, 150
  - tide tables, 148
  - weather radio broadcasts, 145
- National Pipe Straight (NPS) thread, 40
- National Pipe Tapered (NPT) thread, 40
- nautical charts
  - anchorage selection, 135-36
  - availability of, 150
  - Chart No. 1, 150, 160
  - chartplotting tools, 153-54
  - clipboard for using, 151
  - compass rose, 151, 152
  - cost of, 150
  - Demarcation Line, 141
  - logarithmic scale on, 155
  - navigation lights, 159-60
  - paper charts, 79, 150-51
  - recommendation to carry, 79
  - resources, 247, 251
  - storage of, 150-51
- Naval Jelly, 178
- navigation. See also nautical charts
  - advances in, 150
  - danger bearings, 156-57
  - logarithmic scale for speed/distance/time, 155
  - magnetic variation, 151
  - night sailing, 158-60, 159
  - plotting a fix, 154, 156
  - print resources, 151-52
  - resources, 249
  - time, measurement of, 154
- navigation lights (aids to navigation), 158-60, 159
- navigation lights (on boats), 37, 67, 158
- Navigation Rules
  - access to, 140
  - applicability of, 141
  - basic rules, 141-43
  - COLREGS, 66, 141

- course on, 140
- danger zone principle, 144
- Inland Rules, 65, 66, 141
- lookouts, 143
- meeting vessels, 142-43, 144
- pecking order among vessels, 141
- rules about the rules, 141
- speed, safe, 144
- understanding, 140
- navigation tools, 150-54
  - rack project, 194-96
- Neptune 16, 237
- Neptune 24, 237
- Never-Seez, 179
- new boats
  - buying, 29-30
  - cost of, 208
  - equipment for, 30
  - financing a boat, 13-15
  - maintenance work on, 4, 169
  - resources, 250-51
- Newick, Dick, 228
- Newport sailboats
  - Neptune 16, 237
  - Neptune 24, 237
  - Newport 16, 237
- newspaper ads, 29
- New York 32, 18-19
- night sailing, 157, 158-60, 159
- nighttime signals, 65
- Nimble Boats, 237
  - Nimble 20, 237-38
  - Peep Hen 14, 234, 238
- NOAA. See National Oceanic and Atmospheric Administration (NOAA)
- Nobeltec software, 148
- nonpyrotechnic signals, 65
- Noridica 20, 238
- Notice to Mariners bulletin, 79, 151-52, 159
- NPS (National Pipe Straight) thread, 40
- NPT (National Pipe Tapered) thread, 40
- O'Day sailboats, 239
  - O'Day 19, 239
  - O'Day 22, 21, 34, 239
  - O'Day 23, 239
  - O'Day 25, 240
  - O'Day Mariner, 228
  - O'Day Tempest, 239
- offshore sailing, 5
- oil, 68
- oil, teak 175-76
- oil bath bearing, 58
- oil spill cleanup kit, 68
- Olin, John, 228
- Optimist class racers, 211
- Optimum Sailboat, The (Florence), 28
- Ospho, 178
- outboard motors
  - checking before casting off, 118-20
  - cost of, 45
  - electric, 192
  - forward motor mount, 60
  - four-stroke compared to two-stroke, 45-47
  - leaving dock with, 123, 124
    - maintenance of, 45, 190-92
  - motor mounts, 47-49, 48
  - resources, 248, 249, 252
  - reverse gear, 123-24
  - safety procedures for gasoline motors, 121
  - shaft length, 49
  - spare parts kit, 78, 192
  - surveying, 45-49
  - tool kit for, 192
  - transporting, 60
  - ventilation, 66
  - outhaul, 28
- overboard crew See crew overboard overhead, 37
- owners' associations, 252
- owners' Internet groups, 5
  - owners' manual, 90
- oxide layer, 177, 180, 181, 182
- Pan-Pan procedures, 166, 167
- parallel rules, 153-54
- Pardey, Larry, 110
- Pardey, Lin, 110
- partners sailing, 9, 11
- passion for sailing, 1, 3, 245-46
- Pearson sailboats, 215, 240
  - Ensign, 240
  - Hawk, 240
  - Pearson 21, 240
  - Pearson 22, 240
  - Pearson 23, 241
  - Pearson 24, 240
  - Triton, 240
- Peep Hen 14, 234-35, 237
- pendant, 21
- perfect boats, 4
- Performance Cruising Telstar 28, 222
- personal flotation devices (PFDs), 63-64, 146, 160
- personal gear, 204-5
- Pettit aluminum etching primer, 182
- phosphoric acid, 178
- Picnic Cat, 211
- pintles, 96
- pivot point, 122, 135
- Plastimo Iris compasses, 76
- plow anchors, 70, 71

plugs, softwood, 166  
 plumbing system, 36,39-40  
 pointing ability of sailboats, 127-29, 128  
 point loading on bull, 24  
 pollution regulations, 67-69, 205  
 polysulfide bedding compound, 174  
 polyurethane bedding compound, 174-75  
 Poo Powder, 207  
 porta-potty, 205-6  
 ports and deadlights, 84-85  
 port tack, 125  
 Potter sailboats. See West Wight Potter/International Marine  
 powerboats
 

- danger zone principle, IL44
- pecking order among vessels, 141

 power lines, 87, 90  
 practicality, 5-6  
 Practical Sailor
 

- anchor tests, 71
- fan tests, 83
- Practical Boat Buying, 33
- surveyors, 32
- teak products, 177
- wax tests, 173

 Precision Sailboats, 222
 

- Precision 165, 233
- Precision 18, 223-24
- Precision 21, 224
- Precision 23, 224-25

 preventer, 126  
 professional surveys, 32  
 propane, 83, 162, 203  
 propane stoves, 203  
 pumpouts, 69  
 pyrotechnic signals, 65  
  
 quickstop recovery maneuver, 163  
 Quorning Boats Dragonfly 800, 225  
  
 racing sailboats, 8-9, 19, 24, 26  
 radio channels, 81  
 radios
 

- antenna for, 82
- Digital Selective Calling (DSC), 81
- Family Radio Service (FRS), 82-83
- General Mobile Radio Service (GMRS), 82-83
- license for, 81
- resources, 250
- rules and regulations for using, 81
- VHF radios, 80-82, 83, 145

 rafting up, 137, 138  
 Ranger 28, 171  
 reacher (drifter), 114, 115  
 reefing (shortening) sails, 28, 147  
 reef knot (square knot), 111-12  
 reef-point kit, 147  
 registration, boat, 15-16  
 registration, trailer, 15  
 relationships, sailing, 9, 10-11  
 relative bearings, 143  
 resistance, 184
 

- restoring old boats, 4, 31, 249-250

 Rhodes 19, 227-28  
 Rhodes 22, 226  
 rigging, running
 

- maintenance of, 187-90
- specifications, 27-28
- surveying, 43

 rigging, standing
 

- appendages, 18
- raising at launch ramp, 88-98
- raising at launch ramp, checklist for, 87-88
- rust on, 42, 43, 180
- spare parts kit, 78
- specifications, 27
- surveying, 40, 42-43
- tension on, 94-96
- turnbuckles, 44-45

 right-of-way for sailboats, 141  
 RK 20, 230  
 roller-furling headsails, 28, 113, 115-17  
 roller-supporting trailers, 50  
 rope
 

- line compared to, 28, 97
- maintenance of, 188-89

 rot, repairing, 40, 170, 171, 175  
 Roth, Hal, 110  
 Rousmaniere, John, 149, 162  
 rudder, 96, 118  
 rules of sailing, 139  
 Rules of the Road. See Navigation Rules  
 running downwind, 125, 126, 129-30, 132, 148-49  
 rust
 

- ballast materials and, 25, 42
- on fittings, 37, 43
- hose clamps, 39
- prevention strategy, 78, 178, 181
- removal, 178, 180
- rigging, standing, 42, 43, 180
- on trailers, 45

 safety chains, 54, 55  
 safety equipment
 

- carbon monoxide detector, 77-78
- Coast Guard-Approved Equipment, 63
- Coast Guard-required equipment, 62-69, 63, 64
- on dinghies, 49
- harnesses, safety, 74, 146-47, 160, 162
- increasing safety with, 5
- resources, 252

- safety issues
  - anchors, 5, 69-70
  - classes, boating safety, 140
  - downwind sailing, 126
  - familiarity with your boat, 31
  - gasoline outboard motor procedures, 121
  - maintenance and, 6
  - solo sailing and, 10
  - teaching crew about safety, 122
  - trailerable sailboats, safety of, 5
  - trailer improvements, 55-56
- sailboat user groups, 5
- SailCare, 190
- sailing, rules of, 139
- Sailing America (Brown), 245
- "Sailing Injuries" (Nathanson and Hebei), 162
- sailing maneuvers
  - best practices, 138-39
  - fast return recovery, 163, 164
  - heaving to, 129
  - hoisting sails, 125
  - jibing, 115, 126, 127, 130, 148-49
  - meeting vessels and Rules of the Road, 142-43, 144
  - night sailing, 157, 158-60, 159
  - pointing ability of sailboats, 127-29, 128
  - points of sail, 125-26
  - quickstop recovery, 163
  - tacking, 126-27
- Sailing on a Micro-Budget (Brown), 229
- sailing relationships, 9, 10-11
- sailing territory
  - advantages of trailer sailers, 6
  - choosing a boat for, 5, 9
- Sailrite reef-point kit, 147
- sails. See also headsails; mainsails
  - as backup plan, 118
  - bending on, 96-97
  - cost of, 190
  - draft, 133
  - leaving dock under, 121-22
  - luffing, 127
  - maintenance of, 190
  - old, 125, 129
  - racing, 125
  - reefing (shortening), 28, 147
  - resources, 245, 247
  - rigging before casting off, 118
  - safety issues, 5
  - sail area, 26
  - shape of, 13"
  - solo sailing and sail handling, 10
  - telltails, 130-32, 131
  - trimming, 129-34
  - wrinkles in, 125, 130
- SailSports, Inc, 226
- Ultimate 20, 226
- Ultimate 24/Antrim 25, 226-27
- sail theory, 130
- salvage rights and contracts, 167-468
- sandblasting, 178
- Sanibel 18, 230
- sawdust toilet, 207
- Schaefer Snapfurl 500s, 117
- scope, 136
- ScrapeRite plastic razor blades, 201
- screw-pad trailers, 60
- seacocks, 39, 165-66
- Sea Foam fuel conditioner, 191-92
- Sea Pearl 21, 227, 237
- seasickness, 162
- Seaward 17, 31
- Seaward 22, 227
- Seaward 23, 227, 241
- Seaward 25, 227, 242
- Seaward 26, 227-28
- Seaward Fox, 227, 241
- Seaworthy (BoatU.S.), 5, 122
- Seidelmann 245, 242-43
- Seidelmann, Robert, 242
- selling a boat, 4, 12, 13
- Shaw, William, 240
- Shedd, John A., 245
- sheerlegs, 102-3
- sheet bend, 111
- sheet lead blocks, 118
- sheets. See headsail sheets (jibsheets); mainsheets
- shoes, 204-5
- short-shaft outboards, 49
- showering, 204
- shrouds, 27, 42-43, 44-45, 91, 94-96
- side-view mirrors, 59
- signals
  - hand, 138
  - sound-producing devices, 66-67
  - visual distress signals, 64-66
- Sikkens Cetol, 176
- silicone-based grease, 57
- silicone bedding compound, 174
- Silva 7OUN compass, 76
- Simonize wax, 173
- Simpson-Lawrence claw anchors, 72
- size of trailerable boats, 3, 7-8
- ski belts, 63
- skid-type trailers, 50
- Skippers Mate, 230
- Slipper 17, 242
- sloops, 27-28, 114
- Smith, Tony, 222
- smoke signals, 65
- soaps, 204

Solar Shower, 204  
 Solar Vents, 83  
 solo sailing, 9, 10, 11  
 sounding lead, cold-forging, 80  
 sound-producing devices, 66-67  
 Spade anchors, 70  
 spare parts kit, 78, 192  
 Sparrow 12, 236  
 specifications
 

- ballast, 24-26
- beam, 19-20
- displacement, 23-24
- displacement to length ratio (D/L), 24
- draft, 20, 21-23
- importance of understanding, 18
- keels and centerboards, 19, 21-23
- length, 18-19
- rigging, 27-28
- sail area, 26

 speed
 

- bull speed, 19
- logarithmic scale for speed/distance/time, 155
- safe speed, 144

 spindle-lube system, 58  
 spinnaker poles, 100  
 spinnakers, 115  
 split rings, 93  
 spreaders, 27, 94  
 spring lines, 74-75  
 square knot (reef knot), 111-12  
 Sta-Bil fuel stabilizer, 191  
 stability
 

- beam and, 19-20
- bull design and, 19-20, 133
- keel design and, 7, 133
- tender boats, 19, 133

 stainless steel
 

- corrosion of, 43, 179, 180-81
- magnetic attraction, 39-40, 43, 180
- maintenance of, 181
- types of, 43, 180

 stainless steel ball valves, 39  
 stainless steel clamps, 39-40  
 stainless steel fittings, 37, 43, 179  
 stainless steel rigging wire, 42-43  
 stain removal, 169-70  
 stanchions and lifelines, 73-74, 162, 181  
 starboard tack, 125  
 Starboard Yachts, 242  
 stays, 91. See also backstay; forestay(headstay)  
 steel, plain, 43-44, 178  
 steel ballast, 25, 42, 44  
 steerageway, 118  
 stemhead fittings, 40, 93  
 stern swing, 122-23, 135  
 Stewart, Herb, 236  
 stiff boats, 133  
 stings, jellyfish, 162  
 stopper knot, 110-11  
 stopping a boat, 135, 198  
 storage
 

- clothing, 205
- covers, boat, 6, 12, 173
- getting ready to sail, 113
- home storage, 10, 11-12, 23
- marina storage, 10-11
- nautical charts, 150-51
- protection during, 11-12

 storm anchors, 72  
 storm conditions. See weather  
 storm jib, 114-15, 147  
 storm trysails, 147  
 stoves, 202-3  
 stray current, 180  
 strobe lights, 65-66, 160  
 Stuart Marine
 

- JC9 sailing dinghy, 227
- O'Day Mariner, 228
- Rhodes 19, 227-28

 sugar scoop stern, 164-65  
 Sun Cat, 211  
 Sunfish, 11  
 sun protection, 204  
 superior skippers, 150  
 SuperMax anchors, 71  
 surge brakes, 54, 58-59  
 surveying a used
 

- boat benefits of, 31-32
- cost of, 32
- deal killers, 32
- dinghies, 49
- exterior, 40-45
- interior, 34-40, 35, 38, 39
- outboards, 45-49
- parts of a trailer sailer, 33-34
- preparations for, 33
- professional, 32
- resources, 250
- tools for, 33
- trailers, 45

 sway, 60, 87  
 swim noodles, 135  
 swim platforms, 164-65  
 tacking, 126-27  
 tacking angle, 128  
 Tanzer 22, 23, 243  
 tapered threads, 40  
 Taylor, Jim, 223  
 teak, 173-77, 194

telltale compass, 75  
 telltales, 130-32, 131  
 Telstar 28, 222  
 tender boats, 19, 133  
 terminology, 33--34, 184  
 tethers, 74  
 thimbles, 73  
 "Thoughts on J/22 Tuning" (Fisher), 95  
 through-hulls, 39, 165-66  
 tides and tidal currents, 148  
 tie-down straps, 54, 55-56  
 tilt trailers, 50  
 time
 

- logarithmic scale for speed/distance/time, 155
- measurement of, 154
- for sailing, 16-17

 Timex Chronograph, 154  
 Tiny Dancer. See Montgomery 17 (Hny Dancer)  
 tires, 55, 57-58  
 toggles, 44, 45  
 toilets, 69, 205-7, 245  
 tongue jack, 59, 88  
 tongue weight, 59-61, 88  
 Tonic 23, 236  
 tool kits
 

- for outboard, 192
- resources, 246
- rust prevention strategy, 78
- for sailing, 78-79
- for trailer, 55

 topping lift, 28, 96, 97  
 topsides, 37  
 towing a boat (assistance from other vessels), 167-68  
 towing a boat (on a trailer)
 

- alertness and attitude while, 52, 86
- backing up, 86, 88, 99
- checklist, 87
- resources, 251
- sway, 60, 87
- tips for, 86, 88
- tongue weight, 59-61
- trailer dive, 60, 61
- width limitations, 7, 19

 towlines, 75  
 tow vehicle
 

- choosing a boat and, 9-10
- hitch systems, 52-54, 53, 60
- parking (emergency) brakes, 89, 99
- side-view mirrors, 59
- towing ability, 9-10, 50, 52
- tow ratings versus gas mileage, 51-52
- wheel chocks, 89, 99

 Traffic Separation Zones, 141  
 trailer
 

- axle, 58
- backing up, 86, 88, 99
- brakes, 54, 58-59
- checklist, 87
- cost of, 45
- loaded height of boat on, 21, 22-23
- maintenance of, 56, 178, 192-93
- material for, 43
- parts of, 52-59
- point loading on hull from, 24
- repairing, 45
- replacing, 45
- resources, 246
- safety improvements to, 55-56
- spare parts kit, 78
- surveying, 45
- tires, 55, 57-58
- tongue extensions, 23, 99
- tongue jack, 59, 88
- tongue weight, 59-61, 88
- types of, 50
- washdowns, 169

 trailerable sailboats
 

- advantages of, 3-6, 245
- evaluating, 8. see also surveying a used boat
- familiarity with your boat, 31
- maintenance and, 6
- manufacturers 252-53

 trailerable sailboats (Cont.):
 

- parts of, 33-34
- plans for building, 248
- resources, 249
- restoring, 4, 31, 249-50
- safety of, 5
- size of, 3, 7-8
- trailer dive, 60, 61
- trailer hitches, 52-54, 53, 60
- trailer hitch extension, 59
- trailer registration, 16
- trailer winch extension, 103

 transom straps, 54, 55-56  
 traveler, 28, 43, 96, 97, 133-34  
 Tremolino Boat Company, 228-29  
 trimarans, 19  
 Triton, 240  
 trolling motors, 192  
 turnbuckles, 44-45, 94  
 Turtle Wax F21, 188  
 twin-keel systems, 21-22  
 two-stroke outboards, 45, 46-47  
 Ultimate 20, 226  
 Ultimate 24/Antrim 25, 226-27  
 U.S. Coast Guard
 

- Coast Guard-Approved Equipment, 63
- collision emergencies, 166
- distress cans to, 82, 166, 167

- equipment required by, 62-69, 63, 64, 83
- "Federal Requirements and Safety Tips for Recreational Boaters," 63
- fueling and fuel-handling procedures, 121
- Navigation Rules, 140-44
- Office of Boating Safety, 140
- towing a boat, 167
- used boats. See also surveying a used boat
  - book value, 12-13, 33, 208
  - buying, 29-31 costs and affordability, 4, 12-13
  - depreciation, 13
  - discounts, items that rate, 32, 35
  - equipment for, 30-31
  - financing a boat, 14, 31, 33
  - fixer-uppers, 4, 31, 247-48
  - maintenance work on, 4, 6, 12, 30-31
  - point loading on hull, 24
  - resources, 250-51
  - where to look, 29-30
- U.S. Inland Rides, 65, 66, 141
- U.S. Power Squadron, 140
- Vagabond 17,244
- varnish, 176-77
- ventilation
  - active devices, 83
  - carbon monoxide poisoning and, 162
  - Coast Guard-required equipment, 66, 83, 121
  - importance of, 78, 83
  - passive devices, 83-85
- Venture sailboats. See MacGregor entries
- vernier adjusters, 91, 94
- VHF (very high frequency) radios, 80-82, 83, 145
- vinegar, 170
- visual distress signals (VDSs), 64-66
- volt, 184
- Wag Bag, 207
- Walker Bay 8, 49
- washdowns, 169-70
- water, fresh, 203-4
- water, taking on, 165-66. See also leaks
- water ballast, 25-26
- water depths, tides and, 148
- waterline length, 18-19
- water pumps, 204
- water tanks, 203, 204
- watt, 184 wax, 172, 173
- weather
  - downwind sailing and, 148-49
  - exposure to, 145
  - forecasts and reports about, 145
  - importance of to sailors, 145
  - lightning, 148,157
  - local knowledge about, 145
  - response to changes to, 145-47
  - sayings about, 149
  - signs of changes to, 145
  - storm conditions, anchoring during, 72, 137
  - summer storms, 145, 146
- West Marine
  - dinghy, 49
  - Down-the-Hatch, 84
- West Wight Potter/International Marine, 15, 21, 229, 236,245
  - Potter 15, 15, 229
  - Potter 19, 15, 101, 229
  - Sanibel 18,230
- wheel bearings, 58, 87, 88
- wheel chocks, 89, 99
- whisker poles, 100
- width of trailerable boats, 7, 19. See also beam
- winches
  - maintenance of, 187-88
  - replacing, 43
  - on trailers, 56
- wind, leaving or returning to dock in, 122, 123,146
- wind-catching fabric ventilating sails, 83-84
- windlass, 62, 73
- Windmill class racers, 211
- Windscoop, 84
- wineglass hulls, 19, 20
- wire, 73
- wire rigging, 42-43,180
- wiring
  - boat construction methods and, 36
  - connections on trailers, 56-57
  - ground wire, 57
  - maintenance of, 183
  - trailer, 56-57
  - type to use, 38, 183
- wooden boats, 24
- wood mildew prevention, 172
- woodworking resources, 250
- working anchors, 72
- working jib, 114
- World Cruising Routes (Cornell), 157
- yachtsman anchors, 71
- Zamak fittings, 43
- zinc anodes, 179, 180
- zip ties, 73
- Zodiac inflatable dinghy, 49